Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2626	"L2" and (pci or peripher near component near interconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 11:33
L4	9	"6272577" and (transacting data stored memory initiator device detecting multicast transaction request accessing first portion memory first target device associated first portion memory response multicast transaction request accessing second portion memory second target device associated second portion memory concurrently access first portion memory response multicast transaction request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 11:33
L5	9	L4 and (fetch\$3 execut\$3 stor\$3 data portion part block partition\$3 memory associat\$3 target devices data being concurrently fetch\$3 target device send\$3 fetched data initiat\$3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 11:33
L6	0	L5 and (pci or peripher near component near interconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 11:35
L7	0	L5 and (pci or peripheral near component near interconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 11:35
L8	0	L5 and (pci or (peripheral near component near interconnect))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 11:36
L9	127	((multip\$5 or plural\$3) near5 device) same ((interleav\$3 with (read/write or read\$3 or writ\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 11:36

L10	8	L9 and (pci or (peripheral near	US-PGPUB;	OR	ON	2004/11/20 11:20
	o d	component near interconnect))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK .	ON	2004/11/29 11:39
S1	158	sompong.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:17
S2	8	S1 and (olarig near paul)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:20
S3	16319	cook.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:19
S4	5	S3 and (pamela near M)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:19
S5	245	olarig.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:21
S6	38	S5 and (sompong near paul)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:41
S7	1	((interleav\$3 near5 (read/write or read\$3 or writ\$3)) with ((multip\$5 or plural\$3) near5 device)) same multicast\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:45

S8	1	((multip\$5 or plural\$3) near5 device) same (multicast\$3 with (interleav\$3 with (read/write or read\$3 or writ\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:46
S9	127	((multip\$5 or plural\$3) near5 device) same ((interleav\$3 with (read/write or read\$3 or writ\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:22
S10	1156452	(associat\$3 or match\$3 or compar\$3) with (portion or partition or section or block or part or sector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:04
S11	24870	request\$3 near5 detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:03
S12	12195	S10 with configur\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:05
S13	1232	((access\$3 near5 (portion or partition or block or section)) with (associat\$3 or match\$3 or compar\$3)) same request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:08
S14	8945	((plural\$3 or multipl\$5) near5 device with (execut\$3 or read\$3 or writ\$3 or stor\$3 or access\$3)) same (concurrent\$2 or simultaneous\$3 or synchron\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:14
S15	0	S11 same S12 same S13 same S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2004/11/26 14:15

S16	0	S11 same S12 same S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:15
S17	2	S11 and S12 and S13 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:16
S18	1	S9 same ((associat\$3 or compar\$3 or match\$3) with (portion or partition pr blosk or section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:24
S19	28	S9 and ((associat\$3 or compar\$3 or match\$3) with (portion or partition or block or section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:25
S20	1	S9 and multicast\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:25
S21	7	S9 and (request\$3 near5 detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:26
S22	83	S9 and (access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:27
S23	92	S9 and ((execut\$3 or read\$3 or writ\$3 or stor\$3) same (concurrent\$2 or simultaneous\$3 or synchronous\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:28

	I		T			
S24	97	S9 and (I/O or input or output or input/output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:29
S25	17	S19 and S22 and S23 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:30
S26	5	S21 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:50
S27	1	S26 and ((assign\$3 or dedicat\$3 or restrict\$3) with (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:52
S28	1	S25 and ((assign\$3 or dedicat\$3 or restrict\$3) with (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:52
S29	1	S25 and ((assign\$3 or dedicat\$3 or restrict\$3) same (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:54
S30°	1	S17 and ((assign\$3 or dedicat\$3 or restrict\$3) same (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2004/11/26 14:54
S31		S9 and ((assign\$3 or dedicat\$3 or restrict\$3) same (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:55

		-				
S32	5	S31 and (fetch\$3 or send\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:56
S33	1	S32 and ((disk or disc) adj array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:58
S34	1	S32 and ((disk or disc) near5 array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:59
S35	5	S32 and (base adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:58
S36	5	S35 and ((I/O or input or output or input/output) with controll\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:01
S37	5	S36 and (address\$3 same ((group or single or one) with base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 17:44
S38	1	S37 and ((peripheral adj component adj interconnect) or pci)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:05

					·	
S39	9	"6272577" and (method transacting initiator device plurality target devices method comprising steps configuring plurality target devices associate portion memory particular target device plurality target devices sending multicast transaction initiator device plurality target devices executing transaction transaction received plurality target devices according configuration target device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:02
S40	9	"6272577" and (transacting data stored memory initiator device detecting multicast transaction request accessing first portion memory first target device associated first portion memory response multicast transaction request accessing second portion memory second target device associated second portion memory concurrently access first portion memory response multicast transaction request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 08:58
S41	0	S40 not S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:02
S42	0	"6272577" and ((transacting data stored memory initiator device detecting multicast transaction request accessing first portion memory first target device associated first portion memory response multicast transaction request accessing second portion memory second target device associated second portion memory concurrently access first portion memory response multicast transaction request)not (method transacting initiator device plurality target devices method comprising steps configuring plurality target devices associate portion memory particular target device plurality target devices sending multicast transaction initiator device plurality target devices executing transaction transaction received plurality target devices according configuration target device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:03

S43	0	"6272577" NOT (transacting data stored memory initiator device detecting multicast transaction request accessing first portion memory first target device associated first portion memory response multicast transaction request accessing second portion memory second target device associated second portion memory concurrently access first portion memory response multicast transaction request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 08:57
S44	9	"6272577" and (transacting data stored memory initiator device detecting multicast transaction request accessing first portion memory first target device associated first portion memory response multicast transaction request accessing second portion memory second target device associated second portion memory concurrently access first portion memory response multicast transaction request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 08:59
S45	9	S44 and (execut\$3 transact\$3 transaction receiv\$3 plural\$5 target devices according configur\$3 target device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 09:23
S46	9	S44 and (assign\$3 first portion part partiton\$3 block memory first target device plural\$3 target devices)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 09:29
S47	8	S44 and (read\$3 base memory address read\$3 request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 09:39
S48	9	S44 and (fetch\$3 execut\$3 stor\$3 data portion part block partition\$3 memory associat\$3 target devices data being concurrently fetch\$3 target device send\$3 fetched data initiat\$3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 11:30